

Information Governance Manager  
Room 2.03  
De La Court House  
Queen Alexandra Hospital  
Southwick Hill Road  
Portsmouth  
Hampshire  
PO6 3LY

Tel: 023 9228 6000

Ref: 16-17 199

Date: 06 Decemeber 2016

Dear

**Request for information under the Freedom of Information Act 2000**

---

Following a formal review of your request we have provided information that we hold although this may not be in the format which you requested. I hope that the information we have provided will satisfy your request.

**This request refers to the midwife led units at Blakes Maternity Centre and Grange Maternity Centre.**

**Providing separate details for each centre, can you tell me:**

- since 1 December 2014 how many nulliparous (first time) women entered the unit mid-labour;
- since 1 December 2014, how many of those women were transferred to an obstetric unit.
- of those transfers, how many were prior to the birth.
- of those transfers, how many were post birth.

Please see attached.



16-17 199 - Internal  
Response 12 attach.›

This letter also confirms completion of the request. Please note that copies of this request will be held on file for three years before being confidentially destroyed.

If you have any concerns regarding the response you have received, you may ask the Trust to conduct an internal review. For further information on the Freedom of Information Act, including details of appeals and complaints, please contact the Information Commissioner's Office at the following address:

Wycliffe House  
Water Lane  
Wilmslow  
Cheshire

SK9 5AF  
Tel: 08456 30 60 60

## Re-use of Public Sector Information Regulations 2005

The supply of information under the Freedom of Information Act is intended to be for personal use only and does not automatically give the recipient the right to commercially re-use it, for example, the right to publish it or make it available to a wider audience [SI 2005 No: 1515 4(1)].

The Trust provides information under the Freedom of Information Act in line with the template [Open Government Licence for public sector information](#). Should you wish to re-use any information in line with this Licence then you are not required to take any further action.

The Open Government Licence allows you to re-use information freely and flexibly, with only a few conditions. If you wish to re-use information outside of the Licence terms then please inform the Trust as unauthorised re-use may be in breach of copyright law.

## Applicant Satisfaction Survey

It is important to the Trust that you are satisfied with the way in which your request was handled. There is an [Applicant Satisfaction Survey](#) available on our website and we would be grateful if you could spend a short time to comment on your request.

If you have any queries, please do not hesitate to contact this office.

Yours sincerely

Abigail

**Abigail Mahoney**

Risk and Governance Administrator  
**Portsmouth Hospital NHS Trust**  
Queens Alexandra Hospital  
De La Court House  
P06 3LY  
Tel: 02392 286000 (x3479)  
[www.porthosp.nhs.uk](http://www.porthosp.nhs.uk)



"The information contained within this message is intended for the addressee only and may contain confidential and/or privileged information. If you are not the intended recipient, you may not peruse, use, disseminate, distribute or copy this message. If you have received this message in error, please notify the sender immediately by email, facsimile or telephone and either return or destroy the original message. The sender accepts no responsibility for any changes made to this message after it has been sent by the original

author. The views or opinions contained herein do not necessarily represent the views of Portsmouth Hospitals NHS Trust. This email or any of its attachments may contain data that falls within the scope of the Data Protection Acts. You must ensure that any handling or processing of such data by you is fully compliant with the terms and provisions of the Data Protection Act 1984 and 1998".

 .....Save a tree.....do you **really** need to print this email?