

Location	Site	Department	Installation date
RA mammomat	Mobile	Breast Screening	Mar-13
RB Mammomat	Mobile	Breast Screening	Mar-13
Mammo	Queen Alexandra	Breast Screening	Jul-09
Mammo	Queen Alexandra	Breast Screening	Jul-09
Mammo	Queen Alexandra	Breast Screening	Jul-09
Ultrasound	Queen Alexandra	Breast Screening	Mar-19
Ultrasound	Queen Alexandra	Breast Screening	Mar-19
Ultrasound	Queen Alexandra	Breast Screening	Mar-17
CT	Queen Alexandra	CT / MR	Dec-12
CT	Queen Alexandra	CT / MR	Jul-05
CT	Queen Alexandra	CT / MR	May-06
MR	Queen Alexandra	CT / MR	Feb-14
MR	Queen Alexandra	CT / MR	Mar-18
MR	Queen Alexandra	CT / MR	Jul-05
Spect CT	Queen Alexandra	Nuclear Medicine	Jul-10
Spect	Queen Alexandra	Nuclear Medicine	Jul-10
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Dec-08
X-Ray	Queen Alexandra	X-Ray	Feb-09
X-Ray	Queen Alexandra	X-Ray	Feb-09
X-Ray	Queen Alexandra	X-Ray	Jan-09
X-Ray	Fareham	X-Ray	Apr-10
X-Ray	Gosport	X-Ray	Jan-09
X-Ray	Gosport	X-Ray	Jul-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Jun-09
X-Ray	Queen Alexandra	X-Ray	Mar-10
X-Ray	Petersfield	X-Ray	Jul-07
Image intensifier	Queen Alexandra	X-Ray	Mar-17
Image intensifier	Queen Alexandra	X-Ray	Mar-19
Image intensifier	Queen Alexandra	X-Ray	Mar-19
Image intensifier	Queen Alexandra	X-Ray	Mar-17
Image intensifier	Queen Alexandra	X-Ray	Mar-19
Image intensifier	Queen Alexandra	X-Ray	Sep-11
Mobile X-ray	Queen Alexandra	X-Ray	Mar-19
Mobile X-ray	Queen Alexandra	X-Ray	Apr-12
Mobile X-ray	Queen Alexandra	X-Ray	Apr-12
Mobile X-ray	Queen Alexandra	X-Ray	Apr-12
Mobile X-ray	Queen Alexandra	X-Ray	Apr-12

Mobile X-ray	Queen Alexandra	X-Ray	Apr-12
OPG	Queen Alexandra	X-Ray	Mar-98
Fluoroscopy	Queen Alexandra	X-Ray	Mar-17
Fluoroscopy	Queen Alexandra	X-Ray	Jun-09
Intervention	Queen Alexandra	X-Ray	12.05.10
Intervention	Queen Alexandra	X-Ray	Jun-05
Ultrasound	Queen Alexandra	Ultrasound	Mar-18
Ultrasound	Queen Alexandra	Ultrasound	Mar-10
Ultrasound	Gosport	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Mar-18
Ultrasound	Queen Alexandra	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Jul-14
Ultrasound	Queen Alexandra	Ultrasound	Mar-18
Ultrasound	Queen Alexandra	Ultrasound	Mar-18
Ultrasound	Queen Alexandra	Ultrasound	Mar-18
Ultrasound	Petersfield	Ultrasound	Jul-14
Ultrasound	Queen Alexandra	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Oct-13
Ultrasound	Queen Alexandra	Ultrasound	Mar-19
Ultrasound	Queen Alexandra	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Dec-12
Ultrasound	Queen Alexandra	Ultrasound	Mar-19
Ultrasound	Queen Alexandra	Ultrasound	Dec-12

Planned Replaced Date	Initial cost of equipment	Annual maintenance cost
21/22	Commercially sensitive	Commercially sensitive
21/22	Commercially sensitive	Commercially sensitive
17/18	Commercially sensitive	Commercially sensitive
17/18	Commercially sensitive	Commercially sensitive
17/18	Commercially sensitive	Commercially sensitive
24/25	Commercially sensitive	Commercially sensitive
24/25	Commercially sensitive	Commercially sensitive
21/22	Commercially sensitive	Commercially sensitive
17/18	Commercially sensitive	Commercially sensitive
23/24	Commercially sensitive	Commercially sensitive
14/15	Commercially sensitive	Commercially sensitive
22/23	Commercially sensitive	Commercially sensitive
25/26	Commercially sensitive	Commercially sensitive
22/23	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
18/19	Commercially sensitive	Commercially sensitive
18/19	Commercially sensitive	Commercially sensitive
18/19	Commercially sensitive	Commercially sensitive
18/19	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive
18/19	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
17/18	Commercially sensitive	Commercially sensitive
26/27	Commercially sensitive	Commercially sensitive
28/29	Commercially sensitive	Commercially sensitive
28/29	Commercially sensitive	Commercially sensitive
26/27	Commercially sensitive	Commercially sensitive
28/29	Commercially sensitive	Commercially sensitive
21/22	Commercially sensitive	Commercially sensitive
28/29	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive

20/21	Commercially sensitive	Commercially sensitive
07/08	Commercially sensitive	Commercially sensitive
26/27	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
20/21	Commercially sensitive	Commercially sensitive
15/16	Commercially sensitive	Commercially sensitive
22/23	Commercially sensitive	Commercially sensitive
16/17	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
22/23	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
21/22	Commercially sensitive	Commercially sensitive
22/23	Commercially sensitive	Commercially sensitive
22/23	Commercially sensitive	Commercially sensitive
15/16	Commercially sensitive	Commercially sensitive
21/22	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
24/25	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive
24/25	Commercially sensitive	Commercially sensitive
19/20	Commercially sensitive	Commercially sensitive